



## 8.A. Loxodromes

We have noted that a **loxodrome** (or **rhumb line**) is a curve on the sphere for which the compass direction is constant and that under the Mercator projection a loxodrome corresponds to a straight line. The picture below shows a loxodrome from a point to the North Pole with a compass direction of  $\beta$  degrees measured clockwise from due north.



<http://upload.wikimedia.org/wikipedia/commons/d/d6/Loxodrome.png>

The shortest curve to the North Pole is along a longitude (or meridian), so in this case it is clear that the loxodrome is far from the shortest distance between two points on sphere in many cases. Here is a map showing the difference between paths from New York to London along a great circle route and a loxodrome:




(Source: <http://www.ncgia.ucsb.edu/education/curricula/giscc/units/u014/figures/figure06.html>)

### *Parametric equations for a loxodrome*

As in the first picture of the preceding page, we shall let  $\beta$  denote the compass direction of a loxodrome, and we shall assume that the longitude at the starting point is equal to  $\lambda_0$ . If we let  $m = \cot(\beta)$ , then the following formulas describe a loxodrome parametrically in Cartesian coordinates as a function of the longitude  $\lambda$ :

$$\begin{aligned}x &= r \cos(\lambda) / \cosh(m(\lambda - \lambda_0)), \\y &= r \sin(\lambda) / \cosh(m(\lambda - \lambda_0)), \\z &= r \tanh(m(\lambda - \lambda_0)).\end{aligned}$$

See [http://en.wikipedia.org/wiki/Rhumb\\_line](http://en.wikipedia.org/wiki/Rhumb_line) for details of the derivation and further information.



<http://www.ncgia.ucsb.edu/education/curricula/giscc/units/u014/figures/figure06.html>

